

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,983,233 B1
DATED : January 3, 2006
INVENTOR(S) : Falcioni et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [56], **References Cited**, U.S PATENT DOCUMENTS, add the following:

-- 4,368,509 A	1/1983	Li	364/148
4,472,770 A	9/1984	Li	364/148
4,710,864 A	12/1987	Li	364/148
6,411,945 A	6/2002	Nakajima	706/19
6,618,852 A	9/2003	Van Eikeren et al.	717/108 --.

OTHER PUBLICATIONS, add the following:

-- Kagaku, "Combinatorial Chemistry: Inconceivable without Computers",


Combinatorial Chemistry, Vol. 51, No. 8, pp. 480-483 and 583 (1996).

Yamagata et al., "Constructing an Assay System with HTS", *IV High Throughput Screening*, pp. 179-191 (1997). --.

"Maier" reference, should read -- "Combinatorial Chemistry—Challenge and Chance for the Development of New Catalysts and Materials," Agnew. Chem. Int. Ed., 1999, 38, 1216. --;

Signed and Sealed this

Fourth Day of April, 2006



JON W. DUDAS

Director of the United States Patent and Trademark Office